

Wizard TIME screen

1008653

Well	Detergent *	Additive **
A1	Water	
A2	Water	
A3	Water	
A4	Bio-Rad Size Standard	
A5	Fluorescein 1ug/mL	
A6	Water	
A7	2% (w/v) FOS-choline 12	0.4% (w/v) Cholesterol Hemisuccinate
A8	2% (w/v) n-Dodecyl-N,N-Dimethylamine-N-Oxide (LDAO)	0.4% (w/v) Cholesterol Hemisuccinate
A9	2% (w/v) CYMAL®-5	0.4% (w/v) Cholesterol Hemisuccinate
A10	2% (w/v) n-Decyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
A11	2% (w/v) n-Dodecyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
A12	2% (w/v) n-Octyl-β-D-glucopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
B1	2% (w/v) Octyl Glucose Neopentyl Glycol	0.4% (w/v) Cholesterol Hemisuccinate
B2	2% (w/v) Decyl Maltose Neopentyl Glycol	0.4% (w/v) Cholesterol Hemisuccinate
B3	2% (w/v) Lauryl Maltose Neopentyl Glycol	0.4% (w/v) Cholesterol Hemisuccinate
B4	2% (w/v) Cy-Tripglu	0.4% (w/v) Cholesterol Hemisuccinate
B5	2% (w/v) Ph-Tripglu	0.4% (w/v) Cholesterol Hemisuccinate
B6	2% (w/v) Tripao	0.4% (w/v) Cholesterol Hemisuccinate
B7	2% (w/v) ELUGENT	0.4% (w/v) Cholesterol Hemisuccinate
B8	2% (w/v) ANAMEG®-7	0.4% (w/v) Cholesterol Hemisuccinate
B9	2% (w/v) Big CHAP	0.4% (w/v) Cholesterol Hemisuccinate
B10	2% (w/v) Big CHAP, Deoxy	0.4% (w/v) Cholesterol Hemisuccinate
B11	2% (w/v) n-Decyl-N,N-Dimethylamine-N-Oxide, Anagrade	0.4% (w/v) Cholesterol Hemisuccinate
B12	2% (w/v) 3-Dodecylamido-N,N'-Dimethylpropyl Amine Oxide (LPAO)	0.4% (w/v) Cholesterol Hemisuccinate
C1	2% (w/v) Sodium dodecyl sulfate (SDS)	0.4% (w/v) Cholesterol Hemisuccinate
C2	Water	
C3	2% (w/v) CYGLU®-3	0.4% (w/v) Cholesterol Hemisuccinate
C4	2% (w/v) CYGLU®-4	0.4% (w/v) Cholesterol Hemisuccinate
C5	2% (w/v) CYMAL®-1	0.4% (w/v) Cholesterol Hemisuccinate
C6	2% (w/v) CYMAL®-2	0.4% (w/v) Cholesterol Hemisuccinate
C7	2% (w/v) CYMAL®-3	0.4% (w/v) Cholesterol Hemisuccinate
C8	2% (w/v) CYMAL®-4	0.4% (w/v) Cholesterol Hemisuccinate
C9	2% (w/v) CYMAL®-6	0.4% (w/v) Cholesterol Hemisuccinate
C10	2% (w/v) CYMAL®-7	0.4% (w/v) Cholesterol Hemisuccinate
C11	2% (w/v) n-Dodecyl-N,N-dimethyl-3-ammonio-1-propanesulfonate	0.4% (w/v) Cholesterol Hemisuccinate
C12	2% (w/v) 2,6-Dimethyl-4-heptyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D1	2% (w/v) n-Hexyl-β-D-glucopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D2	2% (w/v) n-Heptyl-β-D-glucopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D3	2% (w/v) n-Nonyl-β-D-glucopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D4	2% (w/v) n-Decyl-β-D-glucopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D5	2% (w/v) n-Dodecyl-β-D-glucopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D6	2% (w/v) n-Hexyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D7	2% (w/v) n-Octyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D8	2% (w/v) n-Nonyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D9	2% (w/v) n-Undecyl-α-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D10	2% (w/v) n-Undecyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D11	2% (w/v) n-Tridecyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
D12	2% (w/v) n-Tetradecyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate

* Detergent concentrations are approximate

**Cholesterolhemisuccinate concentrations are saturated at room temperature



Rigaku is proudly represented in Australia and New Zealand by AXT Pty. Ltd.
 1/3 Vuko Pl., Warriewood
 NSW 2102 Australia
 T. +61 (0)2 9450 1359 F. +61 (0)2 9450 1365
 W. www.axt.com.au E. info@axt.com.au

Well	Precipitant *	Additive **
E1	2% (w/v) n-Hexadecyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E2	2% (w/v) n-Undecylenyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E3	2% (w/v) n-Heptyl-β-D-thioglucopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E4	2% (w/v) n-Octyl-β-D-thioglucopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E5	2% (w/v) n-Nonyl-β-D-thioglucopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E6	2% (w/v) n-Decyl-β-D-thioglucopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E7	2% (w/v) n-Octyl-β-D-thiomaltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E8	2% (w/v) n-Nonyl-β-D-thiomaltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E9	2% (w/v) n-Decyl-β-D-thiomaltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E10	2% (w/v) n-Undecyl-β-D-thiomaltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E11	2% (w/v) n-Dodecyl-β-D-thiomaltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
E12	2% (w/v) MEGA-8	0.4% (w/v) Cholesterol Hemisuccinate
F1	2% (w/v) MEGA-9	0.4% (w/v) Cholesterol Hemisuccinate
F2	2% (w/v) MEGA-10	0.4% (w/v) Cholesterol Hemisuccinate
F3	2% (w/v) 2-Propyl-1-pentyl-β-D-maltopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
F4	2% (w/v) Hexaethylene glycol monoethyl ether (C8E6)	0.4% (w/v) Cholesterol Hemisuccinate
F5	2% (w/v) Octaethylene glycol monododecyl ether (C12E8)	0.4% (w/v) Cholesterol Hemisuccinate
F6	2% (w/v) Pentaethylene glycol monodecyl ether (C10E5)	0.4% (w/v) Cholesterol Hemisuccinate
F7	2% (w/v) Pentaethylene glycol monoethyl ether (C8E5)	0.4% (w/v) Cholesterol Hemisuccinate
F8	2% (w/v) Tetraethylene glycol monoethyl ether (C8E4)	0.4% (w/v) Cholesterol Hemisuccinate
F9	1% (w/v) n-Octyl-β-D-galactopyranoside	0.4% (w/v) Cholesterol Hemisuccinate
F10	2% (w/v) Sucrose monododecanoate	0.4% (w/v) Cholesterol Hemisuccinate
F11	2% (w/v) n-Tetradecyl-N,N-dimethylamine-N-oxide (TDAO)	0.4% (w/v) Cholesterol Hemisuccinate
F12	2% (w/v) n-Dodecyl-N,N-dimethylamine-N-oxide (DDAO)	0.4% (w/v) Cholesterol Hemisuccinate
G1	Water	
G2	2% (w/v) Anapoe-20	0.4% (w/v) Cholesterol Hemisuccinate
G3	2% (w/v) Anapoe-35	0.4% (w/v) Cholesterol Hemisuccinate
G4	2% (w/v) Anapoe-58	0.4% (w/v) Cholesterol Hemisuccinate
G5	2% (w/v) Anapoe-80	0.4% (w/v) Cholesterol Hemisuccinate
G6	2% (w/v) Anapoe-C10E6	0.4% (w/v) Cholesterol Hemisuccinate
G7	2% (w/v) Anapoe-C10E9	0.4% (w/v) Cholesterol Hemisuccinate
G8	2% (w/v) Anapoe-C12E10	0.4% (w/v) Cholesterol Hemisuccinate
G9	2% (w/v) Anapoe-C12E8	0.4% (w/v) Cholesterol Hemisuccinate
G10	2% (w/v) Anapoe-C12E9	0.4% (w/v) Cholesterol Hemisuccinate
G11	2% (w/v) Anapoe-C13E8	0.4% (w/v) Cholesterol Hemisuccinate
G12	2% (w/v) Anapoe-NID-P40	0.4% (w/v) Cholesterol Hemisuccinate
H1	2% (w/v) Anapoe-X-100	0.4% (w/v) Cholesterol Hemisuccinate
H2	2% (w/v) Anapoe-X-114	0.4% (w/v) Cholesterol Hemisuccinate
H3	2% (w/v) Anapoe-X-305	0.4% (w/v) Cholesterol Hemisuccinate
H4	2% (w/v) Anapoe-X-405	0.4% (w/v) Cholesterol Hemisuccinate
H5	2% (w/v) HEGA-8	0.4% (w/v) Cholesterol Hemisuccinate
H6	2% (w/v) HEGA-9	0.4% (w/v) Cholesterol Hemisuccinate
H7	2% (w/v) HEGA-10	0.4% (w/v) Cholesterol Hemisuccinate
H8	1% (w/v) HEGA-11	0.4% (w/v) Cholesterol Hemisuccinate
H9	Fluorescein 1ug/mL	
H10	Bio-Rad Size Standard	
H11	Water	
H12	Water	

* Detergent concentrations are approximate

**Cholesterolhemisuccinate concentrations are saturated at room temperature



Rigaku is proudly represented in
Australia and New Zealand by
AXT Pty. Ltd.
1/3 Vuoko Pl., Warriewood
NSW 2102 Australia
T. +61 (0)2 9450 1359 F. +61 (0)2 9450 1365
W. www.axt.com.au E. info@axt.com.au